



Special-Lite

88448 CR 668, P.O. Box 6
Decatur, MI 49045

NEWS RELEASE

◆ **Date:** February 24, 2005

◆ **For Immediate Release**

◆ **Contact:** Dan Depta
Special-Lite, Inc.
800-821-6531
daniel_depta@special-lite.com

[ED04]

Subject: Special-Lite doors offer the ideal choice for the challenging environment present in water and wastewater treatment plants



Special-Lite entrance products are designed to withstand the high humidity and corrosive environment present in water and wastewater treatment plants. The company's Aluminum Flush and Fiberglass Reinforced Polyester (FRP) Flush doors are both constructed of aluminum and composite materials that will never rust or corrode, providing years of long service life in environments that cause hollow metal doors to quickly deteriorate.

The seamless face sheets of the FRP Flush Door (model SL-17) will not rust, corrode, crack, split, peel or rot, and they are fade resistant. In contrast to the FRP used on other doors, Special-Lite's exclusive SpecLite 3® FRP face sheets are more resistant to scratches, scuffs, and chemicals. Comprised of .120" thick, through-

-more-

colored FRP material, the FRP Flush Door never needs painting, and is scratch- and scuff-resistant. Face sheets are available in nine standard colors—beige, boysenberry, dark bronze, Hartford green, light grey, military blue, sandstone, seawolf, and slate grey. A custom FRP color program is available.

The color-fast anodized aluminum surfaces of Special-Lite's Aluminum Flush Doors (model SL-16) cannot rust, never need painting, and require only simple cleaning to maintain a like-new appearance. The face sheets are .062" thick architectural-quality 5005 alloy, and are available in smooth, fluted, or embossed textures in six anodized colors—clear, champagne, light bronze, medium bronze, dark bronze, and black.

The poured in place structural urethane core in both Special-Lite heavy-duty flush door models is impervious to humidity and water. The core material is injected using a proprietary CFC- and HCFC-free technology, ensuring a solid, completely sealed unit with excellent impact resistance.

Unique configurations such as arched doors and transoms, odd sizes, unequal pairs, monorail cutouts or Dutch doors are available. Doors can be sized up to 80" wide and 216" tall and removable mullions and center posts are available.

About Special-Lite

Special-Lite, Inc. manufactures a complete line of heavy-duty flush, monumental, and colonial-style doors, panels, and framing products. Architects, contractors, and facility managers have relied on Special-Lite since 1971 for complete entrance solutions to schools, offices, churches, restaurant and retail facilities, water and wastewater treatment plants, and other commercial facilities. All Special-Lite doors and frames are custom solutions, made to order. Unique configurations such as arched doors and transoms, odd sizes, unequal pairs, monorail cutouts or Dutch

-more-

doors are all available. Special-Lite doors and panels are available in a variety of face sheet materials and finishes, plus the company also offers framing, hardware, and vision lite kits to match.

For free copies of Special-Lite's FRP Flush Door and Aluminum Flush Door brochures, or for more information about Special-Lite products for water and wastewater plants, contact Special-Lite, Inc. Call toll-free 1-800-821-6531, fax toll-free 800-423-7610, or visit www.special-lite.com.

#